

Installation Guide AWRON Display F82DGA



BMW M4

- F82



Scope of delivery



F82DGA Display modul




Power cord set


Toolkit



Cabel system



Schematic



Disassembly interior trim

Remove with a plastic wedge strip the interior. Begin from the right. Pay attention to the connector on startup button and the operating unit warning lights, etc. (see picture below right) Disconnect the connectors, then you can remove air vent.



Disassembly interior trim



Disassembly panel under the glove box on passenger side



Unfolding the screw



Hex, wrench size 8 mm



Unfolding the screw



Hex, wrench size 8 mm

Disassembly panel under the glove box on passenger side




No tools required



No tools required

Disassembly panel under the glove box on passenger side




No tools required

Disassembly door sill on passenger side



Use a plastic wedge




Use a plastic wedge

Disassembly side trim on the passenger side




Use a plastic wedge




Screwdriver TORX T25

Expose the connector from the FEM control unit




No tools required




No tools required


Plug CON 3 into the connector




Plug CON 3 into the connector



Remove plug CON 3




Kein Werkzeug notwendig




Kein Werkzeug notwendig

Disassembly trim on the passenger side




No tools required



Flachschraubenzieher 2mm

Disassembly trim on the passenger side




Pin 1 = Kl.15 (12V) (grün/grün)

Pin 2 = Kl.31 MASSE (braun)

Install the supplied
black connector



No tools required




Cable green / brown and brown / black from
Pin AWRON cable harness in chamber 20 and 24




No tools required


Dismounting plug CON 8




Dismounting plug CON 8




Plug CON 10 connection



Remove plug CON 10




No tools required




No tools required

Remove plug CON 10




No tools required




Flachschraubenzieher 2mm

Remove plug CON 10





Pin 1 = ETH_WUP (blau/gelb)

Install the supplied blue connector



No tools required



No tools required

Mounting display



Mounting display



Support & FAQs

For all enquiries concerning your AWRON display system, or if you have problems with installation guide the AWRON support team at support@awron.de are at your service.

Please also see us and our other AWRON products on our website www.awron.de

